




1. Click “Configure” icon at the top




2. Choose “Dev Center”




3. Choose “API Credentials”



4. Click “Create new API Credentials” button




5. Choose "Harvest V3 (OAuth)" in "API type" dropdown. Enter "Description" (can be anything)



The screenshot shows a modal dialog titled "Create new credential" with a close button (X) in the top right corner. Inside the dialog, there are two input fields. The first field is labeled "API type" and has a dropdown menu showing "Harvest V3 (OAuth)". The second field is labeled "Description" and contains the text "Pequity". At the bottom of the dialog, there are two buttons: a green "Cancel" button and a blue "View and store credentials" button.

6. Copy and paste "Client key" and "Client secret" to Pequity (step 8) and click "I have stored the client credentials"



The screenshot shows a modal dialog titled "Client credentials successfully created" with a close button (X) in the top right corner. Below the title, there is a yellow warning box with an exclamation mark icon and the text: "Copy and store your client secret in a safe place. If you lose it, you will have to rotate your credentials." Below this, there are two rows of information. The first row is labeled "Client key" and shows the value "a6QzreDNWICx0fpVrYB7WPSJ94JEe0iCrA5r-3" next to a green "Copy" button. The second row is labeled "Client secret" and shows the value "EzOhhIhHDEypBSZnMDIns2WzeEKCGViRapeHUBNi" next to a green "Copy" button. At the bottom of the dialog, there are two buttons: a green "Close" button and a red "I have stored the client credentials" button.

7. Check “Select All” and click Save

< Back

Dev Center

Configure Job Board

Integration Options

Job Board API

API Credentials

Harvest API

HRIS Link for ADP

Webhooks

Connected Integrations

Workday Administration

Single Sign-On

Harvest V3 API (OAuth)

● Active

Settings Client secret

Client key
PAJN21r9y6H6AhiYAguDulJPqLCQk5lyYKeO-3

Description *
PEQUITY PRODUCTION

Manage scopes

The data developers using these API credentials can access from your Greenhouse Recruiting account.

▼ ☒ Select all

- ▶ ☒ Auditlog
- ▶ ☒ Harvest

Cancel Save

8. Open Pequity -> Approvals -> Settings -> Greenhouse Integration and paste Client key and Client secret

Approvals Settings

Settings

Comp Tables

Approval Chains

Custom Fields

Settings

Greenhouse Integration

Export

Debug Tools

Greenhouse Settings

☒ Activate Greenhouse Integration

API Key (Deprecated) *
.....
Your Greenhouse API key for authentication (Deprecated)

Client ID *
6XyDUaEhLu8U5cXBQZGVLomrf1g3y3spq

Client Secret *
.....

On-Behalf-Of *
4647981003
The ID of the Greenhouse user to make updates on behalf of. Required by Greenhouse API.

Auto saved at 11/17/2025 10:29:58